

and its telephone number through a home page opened by an item supplier and purchases items. Thereafter, in the next purchase of an item supplied by the same supplier, the buyer can purchase the item by merely clicking once the button of the mouse connected to a personal computer, without re-registering its name on the home page.

However, recently, since there are a variety of items or services to be dealt through the network, a buyer has to often consume much time to retrieve sellers handling desired items over the network and to determine a specific one among many retrieved sellers. Improvement has been long waited to avoid this problem.

In an actual case, a buyer may be different from the recipient of an item. The location of the buyer may be distant from that of the recipient. In view of a fast delivery of items and reduction of delivery costs, it is desirable to determine sellers handling desired items by considering the location of a recipient of items. Moreover, the system has been desired that can selectively determine sellers being capable of accepting requirements by a buyer, for example, a quick delivery of items or producing and processing items at low costs.

SUMMARY OF THE INVENTION

The present invention is made to solve the above-

mentioned problems. An object of the present invention is to provide a network commerce system capable of purchasing items, without retrieving, on the network, sellers that treat items desired by buyers. Another object of the present invention is to provide a network commerce method capable of purchasing items, without retrieving, on the network, sellers that treat items desired by buyers.

Still another object of the present invention is to provide a network commerce system and network commerce method, each which can determine a seller selling items, by considering conditions, for example, the location of a recipient receiving items, required by a buyer.

In order to achieve the above-mentioned objects, a network commerce system of the present invention comprises an orderer terminal handled by an orderer ordering an item or service; a plurality of producing/processing terminals each which is handled by a producer/processor. The producer/processor produces and processes the item or provides a produced and processed item, in accordance with an order from the orderer terminal. The orderer terminal and the producing/processing terminal are interconnected via the network. The network commerce system further comprises a headquarters terminal including a receiver for receiving an order from the orderer terminal transmitted via the network and a transmitter for transmitting the

5

10

15

20

25

5
10
15
20

25

Moreover, the present invention relates to an orderer terminal used in a network commerce system. The network commerce system comprises orderer terminals each handled by an orderer ordering an item or service; a plurality of producing/processing terminals each which is handled by a

producer/processor which produces and processes the item
 or supplies a produced/processed item, in accordance with
 an order from each of the orderer terminals; and a
 headquarters terminal. The head quarters terminal includes
 5 a receiver for receiving an order transmitted from an
 orderer terminal via the network; a transmitter for
 transmitting an item received by the receiver to a
 producing/receiving terminal via the network; and means
 for selectively determining the producing/processing
 10 terminal in accordance with a received order and then
 making the selected producing/processing terminal produce
 and process the item or supply the produced/processed item.
 Thus, network commerce is performed between a
 producing/processing terminal and the headquarters
 15 terminal connected via a network.

Moreover, the present invention relates to a payment
 terminal used in a network commerce system. The network
 commerce system comprises orderer terminals each handled
 by an orderer ordering an item or service; a plurality of
 20 producing/processing terminals each which is handled by a
 producer/processor which produces and processes the item
 or supplies a produced/processed item, in accordance with
 an order from each of the orderer terminals; and a
 headquarters terminal. The head quarters terminal includes
 25 a receiver for receiving an order transmitted from the

5
10

15

20

5

10

15

20

20 Fig. 4 is a diagram illustrating image data to input an
order, or digital data, to be transmitted from the
headquarters terminal to an orderer terminal; and

25

Fig. 5 is a diagram illustrating an example of inputting image data shown in Fig. 4.

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO

terminal 10 includes a transmitter 11 and a receiver 12. The transmitter 11 transmits orders for image data and acoustic data in the form of digital data, editing of digital data, development of a photograph, and the like, to the service headquarters terminal 20 via the network 100. The receiver 12 receives the fact that a service returned from the service headquarters terminal 20 have completely provided.

The service headquarters terminal 20 includes an image data transmitter 21, a receiver 22, an order transmitter 23, a notice receiver 24, and a notifier 25. The image data transmitter 21 transmits image data for inputting orders for the content of edited digital data, processing content, and the like, to the orderer terminal 10 via the network 100. The receiver 22 receives digital data and orders transmitted from the orderer terminal 10. The order transmitter 23 transmits the digital data and orders to the member's shop terminal 30 selectively determined in accordance with the content of a received order. The notice receiver 24 receives a notification regarding the fact that an item edited in accordance with an order from the member's shop terminal 30 has been completely delivered and regarding the delivery expenses. The notifier 25 notifies the payment terminal 40 of a payment request notice to demand a payment of the editing charge

and the delivery charge, based on the received notice.

The member's shop terminal 30 includes a receiver 31, an editor 32, and a responder 33. The receiver 31 receives digital data and an order of the orderer terminal 10 transmitted via the service headquarters terminal 20. The editor 32 edits and processes the digital data in accordance with the received order. The responder 33 returns the fact that an edited item has been delivered, to the orderer terminal 10 and to the service headquarters terminal 20.

The payment terminal 40, which is an information processing unit installed in, for example, a financial institution, includes a receiver 41 and a payment unit 42. The receiver 41 receives a notice transmitted from the service headquarters terminal 20. The payment unit 42 pays an amount of money corresponding to a received notice.

Each of the orderer terminal 10, the member's shop terminal 30, the service headquarters terminal 20, and the payment terminal 40 has a modem that transmits and receives digital data via the network 100. A URL (Uniform Resource Locator) having a specific ID and a domain name is added to a home page opened by the service headquarters terminal 20. An orderer specifies the URL using the orderer terminal 10 to access the home page opened by the service headquarters terminal 20. Thus, the orderer can

receive services from the member's shop terminal 30, as described later.

By directly transmitting digital orders including data and an edited content thereof, to each member's shop terminal 30 via the network 100, the orderer terminal 10 may receive services supplied from the member's shop terminals 30.

Explanation of Operation:

Fig. 3 is a sequence diagram illustrating the operation of the network commerce system shown in Fig. 1. Fig. 4 is a diagram illustrating image data for inputting an order of digital data transmitted from the service headquarters terminal 20 to the orderer terminal 30. Fig. 5 is a diagram illustrating the inputting of the image data shown in Fig. 4.

The operation of the network commerce system shown in Fig. 1 will be explained below by referring to Figs. 3 to 5. In this example, it is assumed that the orderer terminal 10 transmits image data to which the content of the order shown in Fig. 5 is input and digital data downloaded from a digital camera to be edited in accordance with the image data, to the service headquarters terminal 20. Moreover, it is assumed that the service headquarters terminal 20 determines that the editing destination of digital data in accordance with the

image data is the member's shop terminal 30.

First, an orderer uses the orderer terminal 10 and inputs the URL of a home page opened on the Internet 100 by the service headquarters terminal 20, using BROWSER.

5 Thus, when the home page is accessed (step S1), the image data transmitter 21 in the service headquarters terminal 20 transmits, for example, image data (see Fig. 4) to the orderer terminal 10 (step S2).

10 When the orderer terminal 10 receives image data transmitted from the service headquarters terminal 20 (step S3), the image data is manifested on the display, as shown in Fig. 5. Orders for editing digital data, including "material" to print a photograph, "number of papers" to be printed, the presence or absence of
15 "caption" added to a photograph, and "location" and "content" of "caption" are input (step S4).

Specifically, the orderer terminal can select as "material", for example, "photographic paper", "T-shirt" or "plate (earthenware)". The size of "material" is any
20 one of "L", "seven-by-five size", "S", "M", "L", and "LL", and the diameter is any one of "15 cm" and "20 cm". "caption" is added to the photograph, as described later. The location of "caption" is selected from the group of "upper", "lower", "left", and "right".

25 Moreover, "added pattern" can be inserted in the

F04T50-64T560

background of a photograph. As the added pattern can be selected "season" being a static pattern imaging spring, summer, fall, or winter, "feelings (emotions)" being a dynamic pattern, "nature" being a landscape pattern such as mountain, sea, river, or field, and "symbol" formed of geometrical patterns. When "photographic paper" is selected, whether or not "photographic paper" is inserted in "frame" can be selected.

Fig. 5 shows an example of inputting an order sheet. That is, the "caption" saying "Grandma! It is Taro at athlete meet in xxx elementary school on the October 10" is added on "lower" side of "one" photograph of a "seven-by-five" size "photographic paper". Furthermore, a pattern showing "feelings" is edited to add as the background of the photograph. The edited photograph, not placed in the "frame", is transmitted to the address "... ward in Tokyo".

Fig. 5 shows an example of the content of an order requiring a delivery of a photograph of an athlete meet. However, a young couple may want to send a photograph of their grandchild printed on a T-shirt, to their parents. A plate to which a memorial photograph of a wedding ceremony is printed may be sent as a present to each guest. In such a case, the content of "caption", or "material" to which a photograph is printed may be different those shown in Fig. 5. Changed editing contents may be ordered. A repetitive

F04T50"04T500

document may be prepared for "caption".

Next, a destination address of a photograph after editing, a recipient's name, a bank account number of the orderer terminal 10, and the secret number thereof are input (step S5). The transmitter 11 transmits image data shown in Fig. 5 and digital data edited according to the image data, to the service headquarters terminal 20 (step S6).

In order to prevent other person from accessing and abusing the secret number, the secret number is encrypted using the SSL (Secure Socket Layer) protocol developed for TCP/IP (Transmission Control Protocol/Internet Protocol) communications or the TLS (Transfer Layer Security) protocol that compensates security of communication paths. Then, the encrypted secret number is transmitted and received via the internet 100.

When the user of the orderer terminal 10 that ordered the editing of a photograph is the same as the recipient of an edited photograph, he/she may directly receive at the member's shop installing the member's shop terminal 30, without transmitting the edited photograph. In this case, it is inputted, for example, that the orderer goes to directly receive photographs in the "destination" of the image data shown in Fig. 4.

In the service headquarters terminal 20, the receiver

FOR SECRET

22 receives the image data (Fig. 5) transmitted from the orderer terminal 10 and the digital data edited in accordance with the image data (step S7). The user of the service headquarters terminal 20 selectively determines a member's shop terminal 30' that edits digital data by referring to the content of received image data and by editing digital data in accordance with the order content (Fig. 5) from the orderer terminal 10 (step S8).

Then, the order transmitter 23 transmits image data (Fig. 5) transmitted from the orderer terminal 10 and digital data edited in accordance with the image data, to the member's shop terminal 30' via the network 100 (step S9).

In the member's shop terminal 30', the receiver 31 receives image data transmitted from the service headquarters terminal 20 and digital data edited in accordance with the image data (step S10). Then, the editor 32 edits the digital data in accordance with the order content (Fig. 5) input to the image data (step S11). Specifically, the digital data is enlarged to the "seven-by-five" size. The enlarged digital data is printed onto "photographic paper". Editing is performed to add "caption" and "added pattern" of "feelings" onto the "photographic paper".

The edited photograph is delivered to a destination

input to the image data (Fig. 5) by, for example, mail (step S12). After the completion of the delivery, the responder 33 notifies the orderer terminal 10 and the service headquarters terminal 20 of the completion of the delivery.

In the service headquarters terminal 20, when the notice receiver 24 receives a notice returned from the member's shop terminal 30, the notifier 25 notifies the payment terminal 40 of a payment request. Thus, the amount of money according to the received notice is paid from the bank account of the orderer terminal 10 input to the order sheet shown in Fig. 5 (step S14). When receiving image data and digital data edited in accordance with it, the service headquarters terminal 20 may request the payment terminal 40 to make the payment.

In the payment terminal 40, the receiver 41 receives the notice (step S15). Thus, the payment section 42 deposits an expense for editing digital data and the postal charge of a paragraph from the ordinary account "No. 123456" of "xx bank" of the orderer terminal 10 into the bank account of the service headquarters terminal 20.

Now, the system including the payment section 40 has been explained as an example. However, the service headquarters terminal 20 or the payment terminal 40 may pay the digital data editing expense or the postal charge

of a photograph to the orderer terminal 10 or the recipient "destination" shown in Fig. 4 by mail. The payment terminal 40 installed in the service headquarters terminal 20 may settle the account by the service headquarters terminal 20.

The example that the image data (Fig. 4) is transmitted from the service headquarters terminal 20 to the orderer terminal 10 has been explained in the above-mentioned embodiment. However, the input particulars, as shown in Fig. 4, may be further prepared to input orderer's desires including delivering items by express or producing and processing items at low cost. Thus, it is preferable that the service headquarters terminal 20 can selectively determine a member's shop terminal 30 responding to the orderer's desire.

As described above, according to the present invention, the headquarters terminal includes the transmitter that receives an order from an orderer terminal and transmits it to a specific one of producing/processing terminals. In order to selectively determine a producing/processing terminal responding to the requirement of a received order, the headquarters terminal can purchase items, without retrieving dealers selling items desired by a buyer over the network.

Moreover, according to the present invention, items or

5

10